

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050210083"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 17:43
S2	1252	file adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:18
S3	431	S2 and (storage adj (system or medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:15
S4	170	S3 and (converted adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:15
S5	28	S4 and (original adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:15
S6	21	S5 and relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:16
S7	3	(file adj conversion) same (file adj storage) same (storage adj medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:19
S8	68130	storage adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:19

S9	121	S8 and (file adj conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:19
S10	65	S9 and (storage adj medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:20
S11	62	S10 and (file with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:20
S12	51	S11 and (file with (connection or relation or relationship or link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:20
S13	47	S12 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:21
S14	1	S12 and (table with directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:21
S15	41	S13 and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:23
S16	1	S15 and (external with unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:22

S17	1	S15 and (external adj storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:22
S18	1	S15 and (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:22
S19	1	(file adj conversion) same (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 18:23
S20	1305	707/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:56
S21	223	S20 and (file near3 format\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:57
S22	4	S21 and (hash adj value\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:57
S23	113	S20 and (file adj format\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 18:06
S24	0	S23 and (hash with (file near3 format\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 18:00

S25	1	S23 and (hash same (file near3 format\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 18:00
S26	19	S23 and (storage adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 18:01
S27	29	S20 and ((file adj format\$1) same convert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 18:12
S28	5050	file adj conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:23
S29	2378	S28 and (file\$1 with format\$4 with conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:24
S30	119	S29 and (hash adj value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:24
S31	119	S30 and (table or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:25
S32	114	S31 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:26

S33	109	S32 and (file adj format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:26
S34	108	S33 and network\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:27
S35	108	S34 and (file with stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:27
S36	105	S35 and (list with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:33
S37	13	S36 and (read with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:28
S38	1	S36 and (hash with check\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:28
S39	0	S36 and 707/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S40	1	S36 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32

S41	0	S28 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:37
S42	541	S28 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:39
S43	16	S42 and (hash adj value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:40
S44	16	S43 and (table or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:40
S45	14	S44 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:40
S46	2	S45 and (file adj format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:40
S47	2	"5708828".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:57
S48	2	"5848415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:58

S49	2	"6122685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:58
S50	3	"6615327".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:59
S51	2	"6691113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:59
S52	2	"20010013085"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:00
S53	2	"20020059263"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:00
S54	2	"20020059307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:01
S55	2	"20020169792"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:02
S56	2	"2001312483"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:02

S57	55	file with convert with multiple with format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:53
S58	0	S57 and (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 11:53
S59	18	(original adj file) with (converted adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 12:03
S60	366	stor\$4 with (multiple with file with format\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 12:04
S61	17	S60 and (convert\$1 with file\$1 with multiple with format\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 12:04
S62	1	("2002/0147734").URPN.	USPAT	OR	ON	2005/11/22 15:39
S63	15	("6003042").URPN.	USPAT	OR	ON	2005/11/22 15:50
S64	2	(converted adj file) same (hash adj value)	USPAT	OR	ON	2005/11/22 15:50
S65	4	("6377952").URPN.	USPAT	OR	ON	2005/11/22 16:00
S66	12	("5261080" "5341478" "5437025" "5440744" "5560005" "5577252" "5596744" "5613099" "5634010" "5634053" "5634124" "5706434").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/22 16:38
S71	2	"5911776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:40

S72	100	("5680618" "5704060" "6119118" "4041463" "4586027" "4947367" "5231506" "5313572" "5375204" "5386493" "5502576" "5519869" "5528293" "5528742" "5548687" "5557790" "5557674" "5608542" "5613097" "5628007" "5633472" "5690406" "5729741" "5793938" "5806078" "5805086" "5819020" "5832171" "5841885" "5864651" "5873101" "5892847" "5974563" "5983295" "5991402" "5991542" "5999722" "6009547" "6023711" "6043948" "6075669" "6085266" "6088747" "6112250" "6115486" "6134552" "6145124" "6151069" "6161107" "6192393").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:05
S73	20	S72 and (file near3 conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:11
S74	0	S72 and (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:11
S75	10	S72 and ((hash adj value) or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:12
S76	96	("6226411" "6226711" "6226411" "6226711" "6229523" "6330573" "6338093" "6343310" "6430563" "6453329" "6782402" "6856414" "5867112" "4955066" "4821662" "4992887" "5373375" "5398314" "5411258" "5444614" "5596639" "5602377" "5619623" "5646997" "5710719" "5740335" "5742815" "5748859" "5854597" "5889961" "5896462" "5912972" "6006231" "6047374" "6098148" "6101604" "6115818" "6123258" "6163842" "6184454" "6208348" "6256738" "6272558" "6288799" "6313850" "6343342" "6397276" "6411227" "6453073" "6523114").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:20

S77	1	S76 and (hash near3 value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:55
S78	45	(file adj format) same (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:59
S79	18	S78 and (file with conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:58
S80	2	S78 and (file with convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:58
S81	1259	file adj conversion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:03
S82	1	S81 same (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:03
S83	5	S81 and (hash adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:05
S84	1	S81 and (hash adj check\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:05

S85	0	S81 same checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:06
S86	0	S81 with checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:06
S87	20	S81 and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:06